



Commonwealth of Virginia
 Department of General Services
 Division of Consolidated Laboratory Services



Scope of Accreditation

Virginia DCLS Certificate No.: 913

MICROBAC LABORATORIES, INC. - RICHMOND DIVISION
 2028 DABNEY ROAD SUITE E-17
 RICHMOND, VA 23230

Virginia Laboratory ID: 460022
 Effective Date: June 15, 2011
 Expiration Date: June 14, 2012

James L. Pearson, Dr. PH BLCD
DGS Deputy Director for Laboratories

DRINKING WATER


<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>	<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
SIMPLATE	HETEROTROPHIC PLATE COUNT	VA	SM 2120 B 1992 18th ED	COLOR	VA
SM 2130 B 1992 18th ED	TURBIDITY	VA	SM 2540 C 1992 18th ED	RESIDUE-FILTERABLE (TDS)	VA
SM 4500-H+ B 1992 18th ED	PH	VA	SM 4500-P E 1992 18th ED	ORTHOPHOSPHATE AS P	VA
SM 9223 COLILERT MPN	ESCHERICHIA COLI	VA	SM 9223 COLILERT P/A	ESCHERICHIA COLI	VA
SM 9223 COLISURE®	ESCHERICHIA COLI	VA	SM 9223 COLISURE®	TOTAL COLIFORMS	VA

NON-POTABLE WATER

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>	<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
COLILERT	ESCHERICHIA COLI	VA	SM 2540 B 1992 18th ED	RESIDUE-TOTAL	VA
SM 2540 C 1992 18th ED	RESIDUE-FILTERABLE (TDS)	VA	SM 2540 D 1992 18th ED	RESIDUE-NONFILTERABLE (TSS)	VA
SM 4500-H+ B 1992 18th ED	PH	VA	SM 4500-NO ₂ ⁻ B 1992 18th ED	NITRITE AS N	VA
SM 4500-P E 1992 18th ED	ORTHOPHOSPHATE AS P	VA	SM 5210 B 1992 18th ED	BIOCHEMICAL OXYGEN DEMAND	VA
SM 5210 B 1992 18th ED	CARBONACEOUS BOD, CBOD	VA	SM 9221 C E 1992 18th ED	FECAL COLIFORMS	VA



**COMMONWEALTH OF VIRGINIA
DEPARTMENT OF GENERAL SERVICES
DIVISION OF CONSOLIDATED LABORATORY SERVICES**



Certifies that

**VA Laboratory ID#: 460022
MICROBAC LABORATORIES, INC. - RICHMOND DIVISION
2028 DABNEY ROAD SUITE E-17
RICHMOND, VA 23230**

**Owner: TREVOR BOYCE
Responsible Official: CHERIE GUDZ**


**Having met the requirements of 1 VAC 30-46
and the National Environmental Laboratory Accreditation Conference Standard**

**is hereby approved as an
Accredited Laboratory**

As more fully described in the attached Scope of Accreditation

**Effective Date: June 15, 2011
Expiration Date: June 14, 2012
Certificate # 913**

**Continued accreditation status depends on successful ongoing participation in the program.
Certificate to be conspicuously displayed at the laboratory.
Not valid unless accompanied by a valid Scope of Accreditation.
Customers are urged to verify the laboratory's current accreditation status.**


**James L. Pearson, Dr. PH BLCD
DGS Deputy Director for Laboratories**