

U.S. Department of  
Homeland Security

United States  
Coast Guard



Commandant  
United States Coast Guard

2100 Second Street, S.W.  
Washington, DC 20593-0001  
Staff Symbol: CG-5213  
Phone: (202) 372-1367  
Fax: (202) 372-1925  
Email: Robert.P.Griffiths@uscg.mil

16714/159.317/Admiralty

2011-2905  
**MAY 13 2011**

## LETTER OF ACCEPTANCE

Admiralty Environmental  
Attn: David Wetzel  
641 W Willoughby Ave Ste 301  
Juneau AK 99801

Dear Mr. Wetzel:

The Admiralty Environmental facility located in Juneau, Alaska, is accepted by the U.S. Coast Guard as a *Recognized Facility* for collecting and testing effluent in certain Alaskan waters from cruise vessel operations for compliance with the standards and regulations in Subpart E to 33 CFR Part 159 as promulgated under section 1(a)(4) in Pub. L. 106-554.

Any cruise ship operator in certain Alaskan waters may apply to your facility for analysis of sewage and graywater effluents. You are required to independently collect and test the effluent for conventional and priority pollutants in accordance with the Vessel Specific Sampling Plan (VSSP) and submit your test results directly to the cognizant Captain of the Port (COTP) in accordance with the Coast Guard accepted Quality Assurance/Quality Control Plan (QA/QCP). Submit results for conventional pollutants within 15 calendar days of the date the sample was collected and for priority pollutants within 30 calendar days of the date the sample was collected. Samples shall be held by the laboratory for not less than six months, or as directed by the COTP.

This letter of acceptance also acknowledges that separate arrangements exist between Admiralty Environmental and other independent laboratories listed in Enclosure (1) accepted by the U.S. Coast Guard to perform certain tests on your behalf. Admiralty Environmental is responsible for the accuracy and completeness of these sub-laboratories and is required, whenever practicable, to have a qualified representative present during testing. You are also required to include the results from each sub-laboratory in your report to the U.S. Coast Guard.

Information contained in this letter and enclosure is listed on the *Coast Guard Maritime Information Exchange (CGMIX)* at <http://cgmix.uscg.mil> under accepted laboratories for approval series 159.317. This online searchable database is the official listing of all U.S. Coast Guard accepted laboratories for testing of materials and equipment.

This letter of acceptance replaces our letter of acceptance 2007-082 dated 24 Oct 2007 and will remain in effect until terminated. You are required to notify us in writing within 30 days of any changes to the information in your application, this letter, or the enclosure.

Sincerely,

A handwritten signature in black ink, appearing to read "R. P. Griffiths".

R. P. GRIFFITHS  
Lieutenant Commander, U.S. Coast Guard  
Acting Chief, Systems Engineering Division  
By direction

Enclosure

**MAY 13 2011**

**Admiralty Environmental**

Attn: Mr. David Wetzel  
641 W Willoughby Ave Ste 301  
Juneau AK 99801  
USA  
Tel: +1 (907) 463-4415  
Fax: +1 (480) 247-4476  
Email: dwetzel@admiraltyenv.com

**Recognized Facility** performs collection and analysis of:  
40 CFR 401.16 – Conventional Pollutants

**ALS Laboratory Group  
Environmental Division<sup>1</sup>**

Attn: Ms. Brenda Hong  
277 Woodpark Rd  
Smithfield NSW 2164  
Australia  
Tel: +61 (2) 8784 8555  
Fax: +61 (2) 8784 8500  
Email: Brenda.Hong@als.com.au

**Sub-Laboratory** performs collection and analysis of:  
40 CFR 401.16 – Conventional Pollutants  
40 CFR 401.15 – Priority Pollutants

**CERCO Analytical, Inc.**

Attn: Darlene Langford  
1100 Willow Pass Court  
Concord CA 94520-1006  
USA  
Tel: +1 (925) 462-2771  
Fax: +1 (925) 462-2775  
Email: darlene@cercoanalytical.com

**Sub-Laboratory** performs collection and analysis of:  
40 CFR 401.16 – Conventional Pollutants  
40 CFR 401.15 – Priority Pollutants

**Kappa Laboratories, Inc.<sup>2</sup>**

Attn: Denise M. Kmieck  
2577 NW 74th Ave  
Miami FL 33122  
USA  
Tel: +1 (305) 599-0199  
Fax: +1 (305) 592-1224  
Email: Kappalabs2@cs.com

**Sub-Laboratory** performs collection and analysis of:  
40 CFR 401.16 – Conventional Pollutants

---

<sup>1</sup> Includes ALS Laboratory Group facilities located in Adelaide SA, Brisbane QLD, Melbourne VIC, Newcastle NSW, Perth WA, and Sydney NSW.

<sup>2</sup> Includes Kappa Laboratories facilities located in Miami, Florida, and Miami Beach, Florida.

**MAY 13 2011**

**Microbac Laboratories  
Chicagoland Division**

Attn: Mr. Jeffrey M. Loewe  
240 W 84th Dr  
Merrillville IN 46410  
USA  
Tel: +1 (219) 769-8378  
Fax: +1 (219) 769-1664  
Email: jloewe@microbac.com

*Sub-Laboratory* performs collection and analysis of:  
40 CFR 401.15 – Priority Pollutants

**Microbac Laboratories  
Camp Hill Division**

Attn: Ms. Debra Musser  
209 Senate Ave Ste 105W  
Camp Hill PA 17011  
USA  
Tel: +1 (717) 763-0582  
Fax: +1 (717) 214-1269  
Email: dmusser@microbac.com

*Sub-Laboratory* performs collection and analysis of:  
40 CFR 401.15 – Priority Pollutants

**Microbac Laboratories  
Kentucky Division**

Attn: Ms. Dee Cutrera  
3323 Gilmore Industrial Blvd  
Louisville KY 40213  
USA  
Tel: +1 (502) 962-6400  
Fax: +1 (502) 962-6411  
Email: dee.cutrera@microbac.com

*Sub-Laboratory* performs collection and analysis of:  
40 CFR 401.15 – Priority Pollutants

**Environmental Health Laboratory  
Department of Environmental Health  
Government of Cayman Islands**

Attn: Ms. Antoinette Johnson  
Cayman Islands Environmental Centre  
580 North Sound Rd  
George Town, Grand Cayman  
Cayman Islands  
Tel: +1 (345) 743-5908  
Fax: +1 (345) 949 4503  
Email: Antoinette.Johnson@gov.ky

*Sub-Laboratory* performs collection and analysis of:  
40 CFR 401.16 – Conventional Pollutants

16714/159.317/Admiralty  
2011-2905  
**MAY 13 2011**

**R&M Engineering-Ketchikan, Inc.**

Attn: Ms. Jill M. Larna  
355 Carlanna Lake Rd Ste 200  
Ketchikan AK 99901  
USA  
Tel: +1 (907) 225-7917  
Fax: +1 (907) 225-3441  
Email: jlarna@rmketchikan.com

*Sub-Laboratory* performs collection and analysis of:  

---

40 CFR 401.16 – Conventional Pollutants, except oil and  
grease.