

Accredited Laboratory

A2LA has accredited

MICROBAC LABORATORIES, INC., BALTIMORE DIVISION

Baltimore, MD

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This laboratory also meets the requirements of A2LA R204 – Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 27th day of March 2023.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council Certificate Number 410.02 Valid to April 30, 2025

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

MICROBAC LABORATORIES, INC., BALTIMORE DIVISION 2101 Van Deman Street Holabird Business Park Baltimore, MD 21224-6697 Daniel Barrett Phone: (410) 633-1800 Email: daniel.barrett@microbac.com

BIOLOGICAL

Valid To: April 30, 2025

Certificate Number: 0410.02

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2018 "AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements and Pharmaceuticals"), accreditation is granted to this laboratory to perform the following tests on food, dairy, water, meat & meat products, environmental and human and animal serological and tissue samples:

Test	Test Method(s)
Aerobic Plate Count	FDA BAM Online Ch. 3
Aerobic Plate Count (Petrifilm)	AOAC 990.12, 986.33, 989.10
Coliform / Escherichia coli (Petrifilm)	AOAC 991.14, 998.08
Coliform / E. coli (MPN)	FDA BAM Online Ch. 4
Coliforms in Ice Cream and Dairy (Petrifilm)	AOAC 989.10
<i>E. coli</i> O157:H7 (3M MDA-2)	AOAC 2017.01
E. coli O157 (Bio-Rad IQ-Check)	AOAC PTM #020801
Enterobacteriaceae (Petrifilm)	AOAC 2003.01
Lactic Acid Bacteria (MRS)	CMMEF 5 th Ch. 19
Lactic Acid Bacteria (Petrifilm)	AOAC PTM 041701
Listeria Confirmation	FDA BAM Ch. 10
Listeria monocytogenes (3M MDA-2)	AOAC 2016.08
Listeria monocytogenes (Bio-Rad IQ-Check)	AOAC PTM #010802
Listeria sp. (3M MDA-2)	AOAC 2016.07
Listeria spp. (Bio-Rad IQ-Check)	AOAC PTM #090701
Rapid Yeast and Mold (Petrifilm)	AOAC 2014.05 Modified

(A2LA Cert. No. 0410.02) Revised 04/10/2024

Page 1 of 2

5202 Presidents Court, Suite 220 Frederick, MD 21703-8398 Phone: 301 644 3248 Fax: 240 454 9449 www.A2LA.org

Test	Test Method(s)
Salmonella spp. (3M MDA-2)	AOAC 2016.01
Salmonella (Bio-Rad IQ Check)	AOAC OMA 2017.06
Salmonella Confirmation	FDA BAM Ch. 5
Staphylococcus aureus (Petrifilm)	AOAC 2003.07, 2003.08, 2003.11
STEC (3M MDS)	AOAC PTM #071902
STEC (Bio-Rad IQ-Check)	AOAC PTM #121203
Yeast and Mold	FDA BAM Online Ch. 18
Yeast and Mold (Petrifilm)	AOAC 997.02

(A2LA Cert. No. 0410.02) Revised 04/10/2024

hu