



Accredited Laboratory

A2LA has accredited

MICROBAC LABORATORIES, INC. - FAIRWATER

Fairwater, WI

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 - *Specific Requirements - Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009*).



Presented this 20th day of December 2017.

A handwritten signature in black ink, appearing to read "L. Sen", written over a horizontal line.

President and CEO
For the Accreditation Council
Certificate Number 4794.01
Valid to December 31, 2019

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

MICROBAC LABORATORIES, INC. – FAIRWATER
101 Kennedy Street
Fairwater WI 53931
Ashley Malchow Phone: (720) 406 4810

BIOLOGICAL

Valid To: December 31, 2019

Certificate Number: 4794.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing 2015 “*AOAC International Accreditation Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements and Pharmaceuticals*”), accreditation is granted to this laboratory to perform the following tests on foods, feeds and pharmaceuticals:

<u>Test</u>	<u>Method</u>
Aerobic Plate Count – 3M Petrifilm	AOAC 990.12
Coliform Count – 3M Petrifilm	AOAC 991.14
<i>Enterobacteriaceae</i> – 3M Petrifilm	AOAC 2003.01
<i>Escherichia coli</i> – 3M Petrifilm	AOAC 991.14
<i>Listeria monocytogenes</i> – 3M MDA2	AOAC 2016.08
<i>L. monocytogenes</i> – Confirmation/Detection/Enumeration	FDA BAM Ch.10
<i>Listeria</i> spp. – 3M MDA2	AOAC 2016.07
<i>Salmonella</i> spp. – 3M MDA2	AOAC 2016.01
<i>Staphylococcus aureus</i> – 3M Petrifilm	AOAC 2003.07
Yeast and Mold – 3M Petrifilm	AOAC 997.02