



**Indiana**  
Department  
of  
**Health**



Eric J. Holcomb  
*Governor*

Kristina M. Box, MD, FACOG  
*State Health Commissioner*

## LETTER OF RECIPROCAL CERTIFICATION

June 3, 2022

Lisa Martin  
Microbac Laboratories, Inc.- Kentucky Testing Laboratory  
3323 Gilmore Industrial Boulevard  
Louisville, Kentucky 40213

Dear Lisa Martin:

The Indiana Department of Health, Environmental Microbiology Laboratory Certification Office, has reviewed your request to become an Indiana certified laboratory for the bacteriological analyses of public drinking water. Based on the submitted Kentucky document(s), and based upon the recommendation of the Water Microbiology Laboratory Certification Officer, the Indiana Department of Health issues the following determination:

Microbac Laboratories, Inc. is certified for Total Coliforms and E. coli by **SM 9223B (Colilert MPN & P/A and Colilert-18 MPN & P/A)**, Heterotrophic Plate Count by **SM 9215B (Pour Plate Agar)**, and Heterotrophic Plate Count by **Simplex**.

This certification is valid for the period ending **December 31, 2022**. Indiana certification has been continuous and uninterrupted since last issued, May 14, 2021.

To maintain your Indiana certification, you are required to provide the following, as they become available:

- Updated Kentucky certification status
- Yearly Indiana registration fee (as invoiced).
- Yearly Indiana registration form (as requested at the beginning of the year).
- Annual WS-PT study report (copy of the report should be sent directly to our certification office from the provider).
- The report of your next Kentucky certification program evaluation

To promote, protect, and improve the health and safety of all Hoosiers.



Your Indiana laboratory number shall remain M-KY-02. This number is to be used on all compliance monitoring reports of Indiana public water supplies submitted to the Indiana Department of Environmental Management (IDEM).

If you have any questions or require clarification concerning this letter, please contact Katie Sullivan, ISDH Microbiology LCO, at (317) 921-5505 or [KatSullivan@isdh.in.gov](mailto:KatSullivan@isdh.in.gov).

Sincerely,

Lixia Liu, PhD MP(ASCP) D(ABMM)  
Director, Indiana Department of Health Laboratories  
Indiana State Department of Health  
550 West 16th Street  
Indianapolis, Indiana 46202  
317 921-5808

CC: Casey Davidson (IDEM), Jennifer Campbell (IDEM), Roger Svendsen (IDEM)