


# DIVISION OF WATER RESOURCES LABORATORY CERTIFICATION BRANCH

*In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:*



# 2023

## Microbac Laboratories Inc. Ohio Valley Division

*Is hereby certified to perform environmental analysis as listed on the Laboratory's Certified Parameter List and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, soil and pretreatment regulations.*

*By reference 15A NCAC 2H .0800 is made a part of this certificate.*

*This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.*

*This certificate shall be valid until* 12/31/2023

Certificate No. 583

A handwritten signature in black ink that reads 'Todd Crawford'.

Todd Crawford

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Microbac Laboratories Inc. Ohio Valley Division  
Address: 158 Starlite Drive  
Marietta, OH 45750-

Certificate Number: 583  
Effective Date: 1/1/2023  
Expiration Date: 12/31/2023  
Date of Last Amendment: 8/3/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

#### INORGANIC

##### ALKALINITY

SM 2320 B-2011 (Aqueous)

##### BROMIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

##### CHLORIDE

SM 4500 Cl<sup>-</sup> E-2011 (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Non-Aqueous)

##### COD

EPA 410.4, Rev. 2.0, 1993 (Aqueous)

Hach 8000 (Aqueous)

##### CYANIDE

SW-846 9014 (Available) (Colorimetric) (Aqueous)

SW-846 9014 (Available) (Colorimetric) (Non-Aqueous)

SW-846 9014 (Total) (Colorimetric) (Aqueous)

SW-846 9014 (Total) (Colorimetric) (Non-Aqueous)

SM 4500 CN<sup>-</sup> E-2016 (Total) (Aqueous)

##### HARDNESS TOTAL - WET CHEM

SM 2340 C-2011 (Aqueous)

##### INORGANIC PHENOLS

EPA 420.1, Rev. 1978 (Aqueous)

##### NITROGEN, AMMONIA

EPA 350.1, Rev. 2.0, 1993 (Aqueous)

##### NITROGEN, NITRATE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Aqueous)

##### NITROGEN, NITRITE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Non-Aqueous)

SW-846 9056 A (Aqueous)

SW-846 9056 A (Non-Aqueous)

##### NITROGEN, NO<sub>3</sub> + NO<sub>2</sub>

EPA 353.2, Rev. 2.0, 1993 (Aqueous)

##### NITROGEN, TOTAL KJELDAHL

EPA 351.2, Rev. 2.0, 1993 (Aqueous)

##### OIL & GREASE

EPA 1664 Rev. B (Aqueous)

##### ORGANIC CARBON, TOTAL

SM 5310 C-2014 (Aqueous)

##### PAINT FILTER LIQUIDS

SW-846 9095B

##### pH

SM 4500 H+B-2011 (Aqueous)

SW-846 9040 C (Aqueous)

SW-846 9045 D (Non-Aqueous)

##### PHOSPHATE, ORTHO

SM 4500 P E-2011 (Aqueous)

##### PHOSPHORUS, TOTAL

EPA 365.4, 1974 (Aqueous)

##### RESIDUE, DISSOLVED 180 C

SM 2540 C-2015 (Aqueous)

##### RESIDUE, SUSPENDED

SM 2540 D-2015 (Aqueous)

##### SULFATE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Non-Aqueous)

##### SULFIDE

SW-846 9034 (Non-Aqueous)

#### METAL

##### ALUMINUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

##### ANTIMONY

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Microbac Laboratories Inc. Ohio Valley Division  
Address: 158 Starlite Drive  
Marietta, OH 45750-

Certificate Number: 583  
Effective Date: 1/1/2023  
Expiration Date: 12/31/2023  
Date of Last Amendment: 8/3/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### ARSENIC

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### BARIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### BERYLLIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### BORON

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### CADMIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### CALCIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### CHROMIUM HEXAVALENT

SM 3500 Cr B-2011 (Aqueous)  
SW-846 7196 A (Aqueous)  
SW-846 7196 A (Non-Aqueous)

#### CHROMIUM TOTAL

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### COBALT

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Microbac Laboratories Inc. Ohio Valley Division  
Address: 158 Starlite Drive  
Marietta, OH 45750-

Certificate Number: 583  
Effective Date: 1/1/2023  
Expiration Date: 12/31/2023  
Date of Last Amendment: 8/3/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### COPPER

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### IRON

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### LEAD

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### MAGNESIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### MANGANESE

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

#### MERCURY

EPA 245.1, Rev. 3.0, 1994 (Aqueous)  
SW-846 7470 A (Aqueous)  
SW-846 7471 B (Non-Aqueous)

#### MOLYBDENUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### NICKEL

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### POTASSIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)

#### SELENIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Microbac Laboratories Inc. Ohio Valley Division  
Address: 158 Starlite Drive  
Marietta, OH 45750-

Certificate Number: 583  
Effective Date: 1/1/2023  
Expiration Date: 12/31/2023  
Date of Last Amendment: 8/3/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)  
SILVER  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)  
SODIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
STRONTIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
THALLIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)  
TIN  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)  
TITANIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
VANADIUM  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
ZINC  
EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
EPA 200.7, Rev. 4.4, 1994 (Non-Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Non-Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)  
**ORGANIC**  
BASE NEUTRAL/ACID, ORGANICS  
EPA 625.1, Dec 2016 (Aqueous)  
SW-846 8270 E (Aqueous)  
SW-846 8270 E (Non-Aqueous)  
CHLORINATED ACID HERBICIDES  
SW-846 8151 A (Aqueous)  
SW-846 8151 A (Non-Aqueous)  
NITROAROMATICS & NITRAMINES  
SW-846 8330 A (Aqueous)  
SW-846 8330 A (Non-Aqueous)  
POLYCHLORINATED BIPHENYLS (PCBs)  
EPA 608.3, Dec 2016 (Aqueous)  
SW-846 8082 A (Aqueous)

**North Carolina Wastewater/Groundwater Laboratory Certification**

**Certified Parameters Listing**

Lab Name: Microbac Laboratories Inc. Ohio Valley Division  
Address: 158 Starlite Drive  
Marietta, OH 45750-

Certificate Number: 583  
Effective Date: 1/1/2023  
Expiration Date: 12/31/2023  
Date of Last Amendment: 8/3/2023

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

**CERTIFIED PARAMETERS**

SW-846 8082 A (Non-Aqueous)

SW-846 8082 A (Oil)

PURGEABLE, ORGANICS

EPA 624.1, Dec 2016 (Aqueous)

SW-846 8260 D (Aqueous)

SW-846 8260 D (Non-Aqueous)

TPH DIESEL RANGE, ORGANICS

SW-846 8015 C (Aqueous)

SW-846 8015 C (Non-Aqueous)

TPH GASOLINE RANGE, ORGANICS

SW-846 8015 C (Aqueous)

SW-846 8015 C (Non-Aqueous)