COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

BUREAU OF LABORATORIES

LABORATORY ACCREDITATION PROGRAM

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Certifies That

02-00257

Microbac Laboratories Inc - Pittsburgh Division

100 Marshall Drive, Warrendale, PA 15086-7554

NELAP RECOGNIZED TNI ACCREDITATION BODY

Having duly met the requirement of
The act of June 29, 2002 (P.L. 596, No. 90)
dealing with Environmental Laboratories Accreditation
(27 Pa. C.S. §§4104-4113) and the
National Environmental Laboratory Accreditation Program Standard

is hereby approved as an

Accredited Laboratory

to conduct analysis within the fields of accreditations more fully described in the attached Scope of Accreditation

Expiration Date: **07/31/2019**

Certificate Number: **018**

Aaren S. Alger, Chief
Laboratory Accreditation Program
Bureau of Laboratories

Continued accreditation status depends on successful ongoing participation in the program
Certificate not transferable Surrender upon revocation
To be conspicuously displayed at the Laboratory
Not valid unless accompanied by a valid Scope of Accreditation
Shall not be used to imply endorsement by the Commonwealth of Pennsylvania
Customers are urged to verify the laboratory's current accreditation status
PA DEP is a NELAP recognized accreditation body

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**
PADWIS ID: 02257

Microbac Laboratories Inc - Pittsburgh Division
100 Marshall Drive
Warrendale, PA 15086-7554

Matrix: Drinking Water

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
EPA 1664	A	Non-polar material	NELAP	PA	9/19/2018
EPA 1664	A	Oil and grease	NELAP	PA	9/19/2018
EPA 180.1		Turbidity	NELAP	PA	9/19/2018
EPA 200.7	4.4	Aluminum	NELAP	PA	9/19/2018
EPA 200.7	4.4	Barium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Beryllium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Boron	NELAP	PA	9/19/2018
EPA 200.7	4.4	Cadmium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Calcium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Chromium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Cobalt	NELAP	PA	9/19/2018
EPA 200.7	4.4	Copper	NELAP	PA	9/19/2018
EPA 200.7	4.4	Iron	NELAP	PA	9/19/2018
EPA 200.7	4.4	Magnesium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Manganese	NELAP	PA	9/19/2018
EPA 200.7	4.4	Molybdenum	NELAP	PA	9/19/2018
EPA 200.7	4.4	Nickel	NELAP	PA	9/19/2018
EPA 200.7	4.4	Phosphorus, total	NELAP	PA	9/19/2018
EPA 200.7	4.4	Potassium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Silver	NELAP	PA	9/19/2018
EPA 200.7	4.4	Sodium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Strontium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Tin	NELAP	PA	9/19/2018
EPA 200.7	4.4	Titanium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Vanadium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Zinc	NELAP	PA	9/19/2018
EPA 300.0	2.1	Chloride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Fluoride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Nitrate as N	NELAP	PA	9/19/2018
EPA 300.0	2.1	Nitrite as N	NELAP	PA	9/19/2018
EPA 300.0	2.1	Orthophosphate as P	NELAP	PA	9/19/2018
EPA 300.0	2.1	Sulfate	NELAP	PA	9/19/2018
HACH 8000		Chemical oxygen demand (COD)	NELAP	PA	9/19/2018
SM 2120 B		Color	NELAP	PA	9/19/2018
SM 2150 B		Odor	NELAP	PA	9/19/2018
SM 2320 B		Alkalinity as CaCO3	NELAP	PA	9/19/2018
SM 2510 B		Conductivity	NELAP	PA	9/19/2018
SM 2540 C		Residue, filterable (TDS)	NELAP	PA	9/19/2018
SM 2540 D		Residue, nonfilterable (TSS)	NELAP	PA	9/19/2018

Aaron Alger

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

www.dep.state.pa.us
Issue Date: 09/19/2018

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**

PADWIS ID: 02257

Matrix: Drinking Water

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
SM 2550 B		Temperature, deg. C	NELAP	PA	9/19/2018
SM 3112 B		Mercury	NELAP	PA	9/19/2018
SM 4500-CN- C/E		Cyanide	NELAP	PA	9/19/2018
SM 4500-Cl G		Residual free chlorine	NELAP	PA	9/19/2018
SM 4500-Cl G		Total residual chlorine	NELAP	PA	9/19/2018
SM 4500-H+ B		pH	NELAP	PA	9/19/2018
SM 4500-NH3 B		Ammonia distillation	NELAP	PA	9/19/2018
SM 4500-NH3 F	19-22	Ammonia as N	NELAP	PA	9/19/2018
SM 4500-NO3- E		Nitrate as N	NELAP	PA	9/19/2018
SM 4500-NO3- E		Nitrite as N	NELAP	PA	9/19/2018
SM 4500-NO3- E		Total nitrate-nitrite	NELAP	PA	9/19/2018
SM 4500-P B		Preliminary treatment of phosphate samples	NELAP	PA	9/19/2018
SM 4500-P E		Orthophosphate as P	NELAP	PA	9/19/2018
SM 4500-P E		Phosphorus, total	NELAP	PA	9/19/2018
SM 5210 B		Biochemical oxygen demand (BOD)	NELAP	PA	9/19/2018
SM 5210 B		Carbonaceous BOD (CBOD)	NELAP	PA	9/19/2018
SM 5310 C		Total organic carbon (TOC)	NELAP	PA	9/19/2018
SM 5540 C		Surfactants as MBAS	NELAP	PA	9/19/2018
SM 9215 B		Heterotrophic bacteria (Enumeration)	NELAP	PA	7/26/2018
SM 9223 Colilert		Total coliform & E. coli (P/A)	NELAP	PA	7/26/2018
SM 9223 Colilert MPN or QT		E. coli (Enumeration)	NELAP	PA	7/26/2018
SM 9223 Colilert MPN or QT		Total coliform (Enumeration)	NELAP	PA	7/26/2018

Matrix: Non-Potable Water

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
ASTM D4282-02		Free cyanide	NELAP	PA	9/19/2018
Colilert 18/Quantitray		Fecal coliform (Enumeration)	NELAP	PA	7/26/2018
EPA 160.4		Residue, volatile	NELAP	PA	9/19/2018
EPA 1664	A	Non-polar material	NELAP	PA	9/19/2018
EPA 1664	A	Oil and grease	NELAP	PA	9/19/2018
EPA 180.1		Turbidity	NELAP	PA	9/19/2018
EPA 200.7	4.4	Aluminum	NELAP	PA	9/19/2018
EPA 200.7	4.4	Antimony	NELAP	PA	9/19/2018
EPA 200.7	4.4	Arsenic	NELAP	PA	9/19/2018
EPA 200.7	4.4	Barium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Beryllium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Boron	NELAP	PA	9/19/2018
EPA 200.7	4.4	Cadmium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Calcium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Chromium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Cobalt	NELAP	PA	9/19/2018
EPA 200.7	4.4	Copper	NELAP	PA	9/19/2018

Karen Alger

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**
PADWIS ID: 02257

Matrix: Non-Potable Water

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
EPA 200.7	4.4	Iron	NELAP	PA	9/19/2018
EPA 200.7	4.4	Lead	NELAP	PA	9/19/2018
EPA 200.7	4.4	Lithium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Magnesium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Manganese	NELAP	PA	9/19/2018
EPA 200.7	4.4	Molybdenum	NELAP	PA	9/19/2018
EPA 200.7	4.4	Nickel	NELAP	PA	9/19/2018
EPA 200.7	4.4	Potassium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Selenium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Silica, as SiO2	NELAP	PA	9/19/2018
EPA 200.7	4.4	Silver	NELAP	PA	9/19/2018
EPA 200.7	4.4	Sodium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Strontium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Tin	NELAP	PA	9/19/2018
EPA 200.7	4.4	Titanium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Vanadium	NELAP	PA	9/19/2018
EPA 200.7	4.4	Zinc	NELAP	PA	9/19/2018
EPA 300.0	2.1	Bromide	NELAP	PA	9/19/2018
EPA 300.0	2.1	Chloride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Fluoride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Nitrate as N	NELAP	PA	9/19/2018
EPA 300.0	2.1	Nitrite as N	NELAP	PA	9/19/2018
EPA 300.0	2.1	Orthophosphate as P	NELAP	PA	9/19/2018
EPA 300.0	2.1	Sulfate	NELAP	PA	9/19/2018
EPA 3010	A	Hot plate acid digestion (HNO3 + HCl)	NELAP	PA	9/19/2018
EPA 6010		Aluminum	NELAP	PA	9/19/2018
EPA 6010		Antimony	NELAP	PA	9/19/2018
EPA 6010		Arsenic	NELAP	PA	9/19/2018
EPA 6010		Barium	NELAP	PA	9/19/2018
EPA 6010		Beryllium	NELAP	PA	9/19/2018
EPA 6010		Boron	NELAP	PA	9/19/2018
EPA 6010		Cadmium	NELAP	PA	9/19/2018
EPA 6010		Calcium	NELAP	PA	9/19/2018
EPA 6010		Chromium	NELAP	PA	9/19/2018
EPA 6010		Cobalt	NELAP	PA	9/19/2018
EPA 6010		Copper	NELAP	PA	9/19/2018
EPA 6010		Iron	NELAP	PA	9/19/2018
EPA 6010		Lead	NELAP	PA	9/19/2018
EPA 6010		Lithium	NELAP	PA	9/19/2018
EPA 6010		Magnesium	NELAP	PA	9/19/2018
EPA 6010		Manganese	NELAP	PA	9/19/2018
EPA 6010		Molybdenum	NELAP	PA	9/19/2018
EPA 6010		Nickel	NELAP	PA	9/19/2018
EPA 6010		Potassium	NELAP	PA	9/19/2018
EPA 6010		Selenium	NELAP	PA	9/19/2018

Karen Alger

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**
PADWIS ID: 02257

Matrix: Non-Potable Water

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
EPA 6010		Silica, as SiO2	NELAP	PA	9/19/2018
EPA 6010		Silver	NELAP	PA	9/19/2018
EPA 6010		Sodium	NELAP	PA	9/19/2018
EPA 6010		Strontium	NELAP	PA	9/19/2018
EPA 6010		Tin	NELAP	PA	9/19/2018
EPA 6010		Titanium	NELAP	PA	9/19/2018
EPA 6010		Vanadium	NELAP	PA	9/19/2018
EPA 6010		Zinc	NELAP	PA	9/19/2018
EPA 7196		Chromium VI	NELAP	PA	9/19/2018
EPA 9010		Total cyanide	NELAP	PA	9/19/2018
EPA 9014		Total cyanide	NELAP	PA	9/19/2018
HACH 8000		Chemical oxygen demand (COD)	NELAP	PA	9/19/2018
SM 2120 B		Color	NELAP	PA	9/19/2018
SM 2310 B		Acidity as CaCO3	NELAP	PA	9/19/2018
SM 2320 B		Alkalinity as CaCO3	NELAP	PA	9/19/2018
SM 2510 B		Conductivity	NELAP	PA	9/19/2018
SM 2540 B		Residue, total	NELAP	PA	9/19/2018
SM 2540 C		Residue, filterable (TDS)	NELAP	PA	9/19/2018
SM 2540 D		Residue, nonfilterable (TSS)	NELAP	PA	9/19/2018
SM 2540 E		Residue, volatile	NELAP	PA	9/19/2018
SM 2540 F		Residue, settleable	NELAP	PA	9/19/2018
SM 2550 B		Temperature, deg. C	NELAP	PA	9/19/2018
SM 3112 B		Mercury	NELAP	PA	9/19/2018
SM 3500-Cr B	20-22	Chromium VI	NELAP	PA	9/19/2018
SM 4500-CN- C/E		Total cyanide	NELAP	PA	9/19/2018
SM 4500-Cl G		Free chlorine	NELAP	PA	9/19/2018
SM 4500-Cl G		Total residual chlorine	NELAP	PA	9/19/2018
SM 4500-H+ B		pH	NELAP	PA	9/19/2018
SM 4500-NH3 B		Ammonia distillation	NELAP	PA	9/19/2018
SM 4500-NH3 F	19-22	Ammonia as N	NELAP	PA	9/19/2018
SM 4500-NH3 F	19-22	Kjeldahl nitrogen, total (TKN)	NELAP	PA	9/19/2018
SM 4500-NO3- E		Nitrate as N	NELAP	PA	9/19/2018
SM 4500-NO3- E		Nitrite as N	NELAP	PA	9/19/2018
SM 4500-NO3- E		Total nitrate-nitrite	NELAP	PA	9/19/2018
SM 4500-Norg C		Kjeldahl nitrogen, total (TKN)	NELAP	PA	9/19/2018
SM 4500-O G		Oxygen (dissolved)	NELAP	PA	9/19/2018
SM 4500-P B		Preliminary treatment of phosphate samples	NELAP	PA	9/19/2018
SM 4500-P E		Orthophosphate as P	NELAP	PA	9/19/2018
SM 4500-P E		Phosphorus, total	NELAP	PA	9/19/2018
SM 4500-SO3 B		Sulfite, SO3	NELAP	PA	9/19/2018
SM 5210 B		Biochemical oxygen demand (BOD)	NELAP	PA	9/19/2018
SM 5210 B		Carbonaceous BOD (CBOD)	NELAP	PA	9/19/2018
SM 5310 C		Total organic carbon (TOC)	NELAP	PA	9/19/2018
SM 5540 C		Surfactants as MBAS	NELAP	PA	9/19/2018
USGS I-1187-85		Chloride	NELAP	PA	9/19/2018

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

www.dep.state.pa.us
Issue Date: 09/19/2018

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**

PADWIS ID: 02257

Matrix: Solid and Chemical Materials

Method	Revision	Analyte	Accreditation Type	Primary	Effective Date
ASTM D3987-85		Shake extraction of solid waste with water	NELAP	PA	9/19/2018
EPA 1311		Toxicity characteristic leaching procedure (TCLP)	NELAP	PA	9/19/2018
EPA 160.4		Residue, volatile	NELAP	PA	9/19/2018
EPA 300.0	2.1	Bromide	NELAP	PA	9/19/2018
EPA 300.0	2.1	Chloride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Fluoride	NELAP	PA	9/19/2018
EPA 300.0	2.1	Nitrate as N	NELAP	PA	9/19/2018
EPA 300.0	2.1	Sulfate	NELAP	PA	9/19/2018
EPA 3010	A	Hot plate acid digestion (HNO3 + HCl)	NELAP	PA	9/19/2018
EPA 3050	B	Acid digestion of solids	NELAP	PA	9/19/2018
EPA 6010		Aluminum	NELAP	PA	9/19/2018
EPA 6010		Antimony	NELAP	PA	9/19/2018
EPA 6010		Barium	NELAP	PA	9/19/2018
EPA 6010		Beryllium	NELAP	PA	9/19/2018
EPA 6010		Cadmium	NELAP	PA	9/19/2018
EPA 6010		Calcium	NELAP	PA	9/19/2018
EPA 6010		Chromium	NELAP	PA	9/19/2018
EPA 6010		Cobalt	NELAP	PA	9/19/2018
EPA 6010		Copper	NELAP	PA	9/19/2018
EPA 6010		Iron	NELAP	PA	9/19/2018
EPA 6010		Lead	NELAP	PA	9/19/2018
EPA 6010		Magnesium	NELAP	PA	9/19/2018
EPA 6010		Manganese	NELAP	PA	9/19/2018
EPA 6010		Molybdenum	NELAP	PA	9/19/2018
EPA 6010		Nickel	NELAP	PA	9/19/2018
EPA 6010		Phosphorus, total	NELAP	PA	9/19/2018
EPA 6010		Potassium	NELAP	PA	9/19/2018
EPA 6010		Silver	NELAP	PA	9/19/2018
EPA 6010		Sodium	NELAP	PA	9/19/2018
EPA 6010		Thallium	NELAP	PA	9/19/2018
EPA 6010		Tin	NELAP	PA	9/19/2018
EPA 6010		Vanadium	NELAP	PA	9/19/2018
EPA 6010		Zinc	NELAP	PA	9/19/2018
EPA 7471		Mercury	NELAP	PA	9/19/2018
EPA 9010		Total cyanide	NELAP	PA	9/19/2018
EPA 9014		Total cyanide	NELAP	PA	9/19/2018
EPA 9045		pH	NELAP	PA	9/19/2018
EPA 9071		Oil and grease	NELAP	PA	9/19/2018
EPA 9071	B	Total petroleum hydrocarbons (TPH)	NELAP	PA	9/19/2018
EPA 9095	A	Paint filter liquids test	NELAP	PA	9/19/2018
SM 2540 G		Residue, total	NELAP	PA	9/19/2018
SM 4500-NH3 B		Ammonia distillation	NELAP	PA	9/19/2018
SM 4500-NH3 F	19-22	Ammonia as N	NELAP	PA	9/19/2018
SM 4500-NH3 F	19-22	Kjeldahl nitrogen	NELAP	PA	9/19/2018
SM 4500-Norg C		Kjeldahl nitrogen, total (TKN)	NELAP	PA	9/19/2018

Aaron Alger

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

www.dep.state.pa.us

Issue Date: 09/19/2018

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Scope of Accreditation

Attached to Certificate of Accreditation 018-002 expiration date July 31, 2019. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **TNI Code: TNI02133** **(724) 772-0610**
PADWIS ID: 02257

BLANK
VMH

Karen Alger

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

www.dep.state.pa.us
Issue Date: 09/19/2018

Laboratory Status Summary

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **(724) 772-0610**

Microbac Laboratories Inc - Pittsburgh Division
100 Marshall Drive
Warrendale, PA 15086-7554

Matrix: Drinking Water

Method	Revision	Analyte	Status	Effective Date
EPA 200.8	5.4	Aluminum	Applied	9/18/2018
EPA 200.8	5.4	Antimony	Applied	9/18/2018
EPA 200.8	5.4	Arsenic	Applied	9/18/2018
EPA 200.8	5.4	Barium	Applied	9/18/2018
EPA 200.8	5.4	Beryllium	Applied	9/18/2018
EPA 200.8	5.4	Cadmium	Applied	9/18/2018
EPA 200.8	5.4	Calcium	Applied	9/18/2018
EPA 200.8	5.4	Chromium	Applied	9/18/2018
EPA 200.8	5.4	Cobalt	Applied	9/18/2018
EPA 200.8	5.4	Copper	Applied	9/18/2018
EPA 200.8	5.4	Iron	Applied	9/18/2018
EPA 200.8	5.4	Lead	Applied	9/18/2018
EPA 200.8	5.4	Magnesium	Applied	9/18/2018
EPA 200.8	5.4	Manganese	Applied	9/18/2018
EPA 200.8	5.4	Molybdenum	Applied	9/18/2018
EPA 200.8	5.4	Nickel	Applied	9/18/2018
EPA 200.8	5.4	Potassium	Applied	9/18/2018
EPA 200.8	5.4	Selenium	Applied	9/18/2018
EPA 200.8	5.4	Silver	Applied	9/18/2018
EPA 200.8	5.4	Sodium	Applied	9/18/2018
EPA 200.8	5.4	Strontium	Applied	9/18/2018
EPA 200.8	5.4	Thallium	Applied	9/18/2018
EPA 200.8	5.4	Vanadium	Applied	9/18/2018
EPA 200.8	5.4	Zinc	Applied	9/18/2018
EPA 335.4		Cyanide	Applied	9/18/2018
EPA 420.4		Total phenolics	Applied	9/18/2018

Matrix: Non-Potable Water

Method	Revision	Analyte	Status	Effective Date
EPA 200.7	4.4	Phosphorus, total	Applied	9/18/2018
EPA 200.8	5.4	Aluminum	Applied	9/18/2018
EPA 200.8	5.4	Antimony	Applied	9/18/2018
EPA 200.8	5.4	Arsenic	Applied	9/18/2018
EPA 200.8	5.4	Barium	Applied	9/18/2018
EPA 200.8	5.4	Beryllium	Applied	9/18/2018
EPA 200.8	5.4	Cadmium	Applied	9/18/2018
EPA 200.8	5.4	Calcium	Applied	9/18/2018
EPA 200.8	5.4	Chromium	Applied	9/18/2018
EPA 200.8	5.4	Cobalt	Applied	9/18/2018
EPA 200.8	5.4	Copper	Applied	9/18/2018
EPA 200.8	5.4	Iron	Applied	9/18/2018
EPA 200.8	5.4	Lead	Applied	9/18/2018
EPA 200.8	5.4	Magnesium	Applied	9/18/2018
EPA 200.8	5.4	Manganese	Applied	9/18/2018
EPA 200.8	5.4	Molybdenum	Applied	9/18/2018
EPA 200.8	5.4	Nickel	Applied	9/18/2018

Print Date: 09/19/2018

Laboratory Status Summary

DEP Laboratory ID: 02-00257 **EPA Lab Code: PA00052** **(724) 772-0610**

Matrix: Non-Potable Water

Method	Revision	Analyte	Status	Effective Date
EPA 200.8	5.4	Potassium	Applied	9/18/2018
EPA 200.8	5.4	Selenium	Applied	9/18/2018
EPA 200.8	5.4	Silver	Applied	9/18/2018
EPA 200.8	5.4	Sodium	Applied	9/18/2018
EPA 200.8	5.4	Strontium	Applied	9/18/2018
EPA 200.8	5.4	Thallium	Applied	9/18/2018
EPA 200.8	5.4	Vanadium	Applied	9/18/2018
EPA 200.8	5.4	Zinc	Applied	9/18/2018
EPA 335.4		Cyanide	Applied	9/18/2018
EPA 6020		Aluminum	Applied	9/18/2018
EPA 6020		Antimony	Applied	9/18/2018
EPA 6020		Arsenic	Applied	9/18/2018
EPA 6020		Barium	Applied	9/18/2018
EPA 6020		Beryllium	Applied	9/18/2018
EPA 6020		Cadmium	Applied	9/18/2018
EPA 6020		Calcium	Applied	9/18/2018
EPA 6020		Chromium	Applied	9/18/2018
EPA 6020		Cobalt	Applied	9/18/2018
EPA 6020		Copper	Applied	9/18/2018
EPA 6020		Iron	Applied	9/18/2018
EPA 6020		Lead	Applied	9/18/2018
EPA 6020		Magnesium	Applied	9/18/2018
EPA 6020		Manganese	Applied	9/18/2018
EPA 6020		Molybdenum	Applied	9/18/2018
EPA 6020		Nickel	Applied	9/18/2018
EPA 6020		Potassium	Applied	9/18/2018
EPA 6020		Selenium	Applied	9/18/2018
EPA 6020		Silver	Applied	9/18/2018
EPA 6020		Sodium	Applied	9/18/2018
EPA 6020		Strontium	Applied	9/18/2018
EPA 6020		Thallium	Applied	9/18/2018
EPA 6020		Vanadium	Applied	9/18/2018
EPA 6020		Zinc	Applied	9/18/2018

Print Date: 09/19/2018