

Microbac Laboratories, Inc. TN (GA Lab ID 980)
 505 East Broadway Ave., Maryville, TN 37804
 Effective May 1, 2017 - April 30, 2020

ANALYTE	CERTIFIED/ ACCREDITED BY	EPA APPROVED METHOD
INORGANIC CHEMICALS		
Antimony	State of Tennessee	200.8
Arsenic	State of Tennessee	200.8
Barium	State of Tennessee	200.7 200.8
Beryllium	State of Tennessee	200.7. 200.8
Cadmium	State of Tennessee	200.7 200.8
Chromium	State of Tennessee	200.7 200.8
Copper	State of Tennessee	200.7 200.8
Cyanide	State of Tennessee	335.4
Fluoride	State of Tennessee	300.0
Lead	State of Tennessee	200.8
Mercury	State of Tennessee	245.1
Nitrate	State of Tennessee	300.0
Nitrite	State of Tennessee	300.0
Selenium	State of Tennessee	200.8
Uranium	State of Tennessee	200.8

OTHER/SECONDARY		
Alkalinity as CaCO ₃	State of Tennessee	SM 2320 B
Aluminum	State of Tennessee	200.7, 200.8
Calcium	State of Tennessee	200.7
Chloride	State of Tennessee	300.0
Color	State of Tennessee	SM-2120 B
Foaming Agents	State of Tennessee	SM-5540 C
Iron	State of Tennessee	200.7
Manganese	State of Tennessee	200.7, 200.8
Magnesium	State of Tennessee	200.7
Nickle	State of Tennessee	200.7, 200.8
Orthophosphate	State of Tennessee	300.0
pH	State of Tennessee	SM-4500 H+ B
Potassium	State of Tennessee	200.7
Silica	State of Tennessee	200.7
Silver	State of Tennessee	200.7, 200.8
Sodium	State of Tennessee	200.7
Sulfate	State of Tennessee	300.0
Total Dissolved Solids	State of Tennessee	SM 2540 C
Turbidity	State of Tennessee	180.1
UV 254	State of Tennessee	SM 5910 B
Zinc	State of Tennessee	200.7, 200.8