

DIVISION OF WATER RESOURCES LABORATORY CERTIFICATION BRANCH

In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:



2023

Microbac Laboratories Inc. - Knoxville Division

Is hereby certified to perform environmental analysis as listed on the Laboratory's Certified Parameter List and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, soil and pretreatment regulations.

By reference 15A NCAC 2H .0800 is made a part of this certificate.

This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.

This certificate shall be valid until 12/31/2023

Certificate No. 678

A handwritten signature in black ink that reads "Todd Crawford".

Todd Crawford

North Carolina Wastewater/Groundwater Laboratory Certification

Certified Parameters Listing

Lab Name: Microbac Laboratories Inc. - Knoxville Division
Address: 505 E. Broadway Avenue
Maryville, TN 37804-

Certificate Number: 678
Effective Date: 1/1/2023
Expiration Date: 12/31/2023
Date of Last Amendment:

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

CERTIFIED PARAMETERS

INORGANIC

BROMIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

CHLORIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

FLUORIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

NITROGEN, NITRATE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

NITROGEN, NITRITE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

NITROGEN, NO₃ + NO₂

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

PHOSPHATE, ORTHO

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SULFATE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)